## **EAST Search History**

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4	[(@riad<"20020708" or @ad<"20020708") and (persistent with channel) and (channel with (parameter attribute propert\$3)) and (370/351,431,389.ods. or 711/113. ods.)	USPAT	OR	ON	2009/09/28 10:56
L4	6296	(@rlad<"20020708" or @ad<"20020708") and (370/329,332,355,389,392.cds. or 711/113.cds.)	USPAT	OR	ON	2009/09/28 11:11
L5	0	(@rlad<"20020708") or @ad<"20020708") and (370/329,332,355,389,392.cds. or 711/113.cds.) and "whether the channel is a persistent channel"	USPAT	OR	ON	2009/09/28 11:11
L6	0	(@rlad<"20020708") or @ad<"20020708") and (370/329,332,355,389,392.cds. or 711/113.cds.) and "if the channel is a persistent channel"	USPAT	OR	ON	2009/09/28 11:11
L7	0	[(@rlad<"20020708" or (@ad<"20020708") and ((370/329,329,358,389,392.cols. or 711/113.cols.) and "locally caching data from the packet in a core routing node in the network core"	USPAT	OR	ON	2009/09/28 11:12
S14	1	"20040076155"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/16 15:39
S15	3	"6816457"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/16 15:44
S16	3773	rout\$3 and cach\$3 and filter\$3 and index\$3 and header	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 07:52
S17	2280	rout\$3 and cach\$3 and filter\$3 and index\$3 and header and attribute	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 07:52
S18	2161	rout\$3 and cach\$3 and filter\$3 and index\$3 and header and attribute and program	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 07:52
S19	2211	rout\$3 and cach\$3 and filter\$3 and index\$3 and header and attribute and program\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 07:52
S20	92	rout\$3 and cach\$3 and filter\$3 and index\$3 and header and attribute and program\$4 and publish/subscribe	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 10:28

S21	8	rout\$3 and cach\$3 and filter\$3 and index\$3 and header and attribute and program\$4 and publish/subscribe and content-based	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 07:53
S22	215	cach\$3 and rout\$3 and 370/351.cds.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 10:35
S23	1	cach\$3 and rout\$3 and 370/351.cds. and publish/subscribe	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 10:49
S24	214	"publish/subscribe" and network and caching	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:44
S25	68	"publish/subscribe" and network and caching and defer\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 10:51
S26	0	("publish/subscribe" adj network) and caching and defer\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 10:52
S27	68	"publish/subscribe" and caching and defer\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:08
S28	4557	cach\$3 and rout\$3 and time and payload	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:10
S29	406	cach\$3 and rout\$3 and time and payload and inspect	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:10
<b>S</b> 30	265	cach\$3 and rout\$3 and time and payload and inspect and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:10
S31	132	cach\$3 and rout\$3 and time and payload and inspect and filter and index \$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:11
S32	126	cach\$3 and rout\$3 and time and payload and inspect and filter and index \$3 and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 11:11
\$33	1	"7117270"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:21
\$34	3	"6182049"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:23
S35	1	("6182049").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/02/20 12:21
S36	0	"71202792"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:23
S37	2	"7120792"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:37

S38	10	"6195359"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:38
S39	3	"6816457"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:41
S40	1	"6918067"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:44
S41	0	"publish/subscribe" and cach\$3 and rout\$3 and insect\$3 and filter and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:46
S42	73	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and filter and packet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 12:47
S43	49	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or @ad<"20020708")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:13
S44	2	("2005/0193269").URPN.	USPAT	OR	ON	2007/02/20 13:05
S45	0	"10997616"	USPAT	OR	ON	2007/02/20 13:05
S46	0	("2007/0028001").URPN.	USPAT	OR	ON	2007/02/20 13:06
S47	0	("2007/0028001").URPN.	USPAT	OR	ON	2007/02/20 13:06
S48	0	("2007/0028001").URPN.	USPAT	OR	ON	2007/02/20 13:06
S49	0	("2007/0028001").URPN.	USPAT	OR	ON	2007/02/20 13:07
S50	0	("2007/0028001").URPN.	USPAT	OR	ON	2007/02/20 13:07
S51	49	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or @ad<"20020708") and program\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 14:51
S52	49	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or @ack "20020708") and program\$4 and index\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:14
S53	47	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or (@ad<"20020708") and program\$4 and indexing	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:15
S54	47	"publish/subscribe" and locally and cach \$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or (@ad<"20020708") and program\$4 and indexing	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:35

S55	3	"publish/subscribe" and (locally adj cach\$3) and rout\$3 and inspect\$3 and filter and packet and (@rad<-"20020708" or @ad<"20020708") and program\$4 and indexing	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:16
S56	3	"publish/subscribe" and locally and cach \$3 and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or @ad<"20020708") and program\$4 and indexing and payload	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:57
S57	5	"publish/subscribe" and rout\$3 and inspect\$3 and filter and packet and (@rlad<"20020708" or @ad<"20020708") and program\$4 and payload	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 13:58
S58	14	"6708187"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 14:41
S59	1	"10997616"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/20 16:07
S60	0	("2006/0167975").URPN.	USPAT	OR	ON	2007/02/20 16:16
S61	0	("2006/0167975").URPN.	USPAT	OR	ON	2007/02/20 16:32
S62	156	caching adj content	USPAT	OR	ON	2007/02/20 16:33
S63	135	(caching adj content) and (@rlad<"20020708" or @ad<"20020708")	USPAT	OR	ON	2007/12/18 20:56
<b>S</b> 64	15	(caching adj content) and (@rlad<"20020708" or @ad<"20020708") and payload	USPAT	OR	ON	2007/02/20 17:16
S65	2	"6938072"	USPAT	OR	ON	2007/02/20 17:16
S66	3	"publish/subscribe" and (edge adj router) and (intelligent adj router) and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:32
S67	0	"publish\$subscribe" and (edge adj router) and (intelligent adj router) and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:32
S68	16	publish and subscribe and (edge adj router) and (intelligent adj router) and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:34
S69	593	publish and subscribe and edge and intelligent and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:56
S70	476	publish and subscribe and edge and intelligent and filter and (@rlad<"20020708" or @ad<"20020708")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:36

S71	83	publish and subscribe and edge and intelligent and filter and (@rlad<"20020708" or @ad<"20020708") and payload	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:36
S72	24	publish and subscribe and edge and intelligent and filter and (@rlad<"20020708" or @ad<"20020708") and payload and inspect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 08:36
S73	22	(intelligent adj router) and (edge adj router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 12:04
S74	19	(intelligent adj router) and (edge adj router) and payload	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 11:49
S75	19	(intelligent adj router) and (edge adj router) and payload and filter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 11:49
S76	10	"6195359"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 12:05
S77	2	"7133928"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 12:06
S78	9	10199368"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 12:55
S79	1	"20030169749"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 12:55
S80	5	"publish/subscribe" and cach\$3 and rout\$3 and inspect\$3 and payload and packet and (@rlad<"20020708" or @ad<"20020708") and program\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 14:52
S81	1332	multi-protocol adj label adj switching	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 15:34
S82	10830	(multi-protocol adj label adj switching) or mpls	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 15:34
\$83	140	(multi-protocol adj label adj switching) and payload and attribute	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 15:35
S84	84	(multi-protocol adj label adj switching) and payload and attribute and (@rlad<"20020708" or @ad<"20020708")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 15:36
S85	1	"20030088699"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 16:40
S86	7	mpls and publish/subscribe	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 17:18

S87	107	(cach\$2 adj data) and (time\$to\$live)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 19:17
S88	84	(cach\$2 adj data) and (time\$to\$live) and (@rlad<"20020708" or @ad<"20020708")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 19:18
S89	1	(cach\$2 adj data) and (time\$to\$live) and (@rlad<"20020708" or @ad<"20020708") and (edge adj rout \$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 19:22
S90	44	(cach\$2 adj data) and (time\$to\$live) and (@rlad<"20020708" or @ad<"20020708") and edge	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 19:57
S91	1	"7010578"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/21 19:58
S92	4518	370/351	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:07
S93	10130	709/217	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:07
S94	1690	711/122	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:08
S95	56	711/11	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:08
S96	3973	711/118	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:08
S97	4090	711/118,113,137.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/02/22 11:08
S98	217	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3	USPAT	OR	ON	2007/12/18 20:58
S99	97	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge	USPAT	OR	ON	2007/12/18 20:58
S100	97	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge	USPAT	OR	ON	2007/12/18 21:53
S101	7023	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach) and time\$to\$live or time\$stamp	USPAT	OR	ON	2007/12/18 21:54

S102	0	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach) and ((time near to near live) or time \$stamp)	USPAT	OR	ON	2007/12/18 21:55
S103	0	[(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach) and ("time-to-live" or time\$stamp)	USPAT	OR	ON	2007/12/18 21:55
S104	0	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach) and "time-to-live"	USPAT	OR	ON	2007/12/18 21:55
S105	5	(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach)	USPAT	OR	ON	2007/12/18 21:56
S106	0	[(@rlad<"20020708" or @ad<"20020708") and caching and routing and publish and subscrib\$3 and local and edge and (local adj cach) and stamp	USPAT	OR	ON	2007/12/18 21:55
S107	23039	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) ane (rout\$3 near5 packet)	USPAT	OR	ON	2008/08/14 15:08
S108	12	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 near5 packet)	USPAT	OR	ON	2008/08/14 15:08
S109	2	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 near5 packet) and (cach\$3 near5 data)	USPAT	OR	ON	2008/08/14 15:26
S110	12	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 near5 packet) or "20030185211"	USPAT	OR	ON	2008/08/14 15:55
S111	1	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 near5 packet) and "20030185211"	USPAT	OR	ON	2008/08/14 15:55
S112	1	"20030185211"	USPAT	OR	ON	2008/08/14 15:57
S113	1	"20030185211"	USPAT	OR	ON	2008/08/14 15:57
S114	17	[("20020067726"   "20020087881"   "20020150093"   "20020162025"   "20030154302"   "20040027995"   "20040076155"   "5974417"   "6021443"   "6321267"   "6336119"   "6347087"   "6523068"   "6850980"   "699023"   "6999478"   "7065082"). [PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/14 16:33

S115	12	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 with packet)	USPAT	OR	ON	2008/08/14 16:37
S116	1	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 with packet) and attribute and filter	USPAT	OR	ON	2008/08/14 16:37
S117	1	(@riad<"20020708" or @ad<"20020708") and (inspect with payload) and (rout\$3 with (data or packet)) and attribute and filter	USPAT	OR	ON	2008/08/14 16:37
S118	1	(@riad<"20020708" or @ad<"20020708") and (inspect near10 payload) and (rout\$3 with (data or packet)) and attribute and filter	USPAT	OR	ON	2008/08/14 16:38
S119	6	(@riad<"20020708" or @ad<"20020708") and (inspect near10 payload) and (rout\$3 with (data or packet)) and filter	USPAT	OR	ON	2008/08/14 16:40
S120	2	(@riad<"20020708" or @ad<"20020708") and ((inspect with payload) same filter) and (rout\$3 with packet)	USPAT	OR	ON	2008/08/14 17:12
S121	7	(@rlad<"20020708" or @ad<"20020708") and (inspect with payload) and filter and (rout\$3 with packet)	USPAT	OR	ON	2008/08/14 17:12
S122	9	("5606668"   "5896499"   "5898830"   "5951651"   "6009475"   "6052788"   "6088796"   "6098172"   "6141755"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/04 13:10
S123	0	persitent adj channel	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:35
S124	62	persistent adj channel	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:35
S125	3	(persistent adj channel) with cach\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:35
S126	59	persistent adj channel not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:36
S127	29	(@rlad<"20020708" or @ad<"20020708") and persistent adj channel not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:39
S128	29	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:40
S129	0	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) same ((edge and core) adj rout\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:41

S130	0	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) same ((edge) adj rout\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:41
S131	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and ((edge) adj rout\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:41
S132	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and upstream not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:42
S133	16	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and propert\$3 not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:42
S134	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) with propert\$3 not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:42
S135	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) same propert\$3 not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:42
S136	0	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) same ((edge and core) adj server) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:44
S137	29	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:45
S138	56	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and routernot precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:45
S139	4	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and router not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:45
S140	11	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and (server router) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 11:51
S141	11	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) and (server router) not (precache senoria)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 12:43
S142	11	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) and (server router) not (precache senorla)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 12:44
S143	6	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) and (server router) not (precache sensoria)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 12:45
S144	3	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) same (determin\$3 propert\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 12:53

S145	36	(@rlad<"20020708" or @ad<"20020708") and (persistent adj3 channel) same (determin\$3 propert\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 12:53
S146	12	(@rlad<"20020708" or @ad<"20020708") and (persistent adj3 channel) same (channel near3 propert\$3) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 13:14
S147	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj3 channel) same (channel near3 attribute) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 13:18
S148	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj3 channel) same (channel with attribute) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 13:19
S149	3535	(@rlad<"20020708" or @ad<"20020708") and (channel with attribute) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 13:19
S150	29	(@riad<"20020708" or @ad<"20020708") and (persistent adj channel) not precache	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 13:20
S151	5	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and (channel with (propert\$3 parameter attribute))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:13
S152	31	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and (channel with persistent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:16
S153	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and (channel with persistent with packet)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:16
S154	5	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) and (channel with persistent with (payload data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:16
S155	0	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) with (confirm\$5 verif\$y7)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:23
S156	3	(@rlad<"20020708" or @ad<"20020708") and (persistent adj channel) with (confirm\$5 verif\$y7 determin\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/18 15:23
S157	27	(@rlad<"20020708" or @ad<"20020708") and (persistent with channel with (parameter attribute propert\$3))	USPAT	OR	ON	2009/09/21 10:25
S159	8	(@rlad<"20020708" or @ad<"20020708") and (persistent with channel) and (channel with (parameter attribute propert\$3) with packet)	USPAT	OR	ON	2009/09/21 10:29

S160	7	("5988847"   "6212568"   "6298455"   "6591288"   "6598116"   "6643682"   "6907501"). <b>PN</b> .	US-PGPUB; USPAT; USOOR	OR	ON	2009/09/21 10:40
S161	0	("7376092").URPN.	USPAT	OR	ON	2009/09/21 10:41
S162	0	("7376092").URPN.	USPAT	OR	ON	2009/09/21 10:41
S163	0	("7376092").URPN.	USPAT	OR	ON	2009/09/21 10:41
S164	32	(@rlad<"20020708" or @ad<"20020708") and (persistent with channel) same ((parameter attribute propert\$3) with channel)	USPAT	OR	ON	2009/09/21 10:50
S165	17	(@rlad<"20020708" or @ad<"20020708") and (persistent with channel) same ((parameter attribute properl\$3) with channel) and packet	USPAT	OR	ON	2009/09/21 10:50
S166	18	(@rlad<"20020708" or @ad<"20020708") and ((persistent with channel) same (parameter attribute propert\$3)) and packet	USPAT	OR	ON	2009/09/21 10:51
S167	27	(@rlad<"20020708" or @ad<"20020708") and (channel with (parameter attribute propert\$3) with packet) and persistent	USPAT	OR	ON	2009/09/21 11:07
S168	12	"10400444" "10400453" "10199356" "10400462" "10400465" "10613994" "10613996" "10614151"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/09/21 17:06
S169	141	(@rlad<"20020708" or @ad<"20020708") and (persistent with channel) and (channel with (parameter attribute propert\$3))	USPAT	OR	ON	2009/09/24 14:39
S171	3982	(@riad<"20020708" or @ad<"20020708") and (370/351,431,389.cds. or 711/113. ccls.)	USPAT	OR	ON	2009/09/24 15:02
S172	0	(@rlad<"20020708" or @ad<"20020708") and (370/351,431,389.cds. or 711/113. cds.) and "whether the channel is a persistent channel"	USPAT	OR	ON	2009/09/24 15:03
S173	0	[(@rlad<"20020708") or (@ad<"20020708") and (370/351,431,389.cds. or 711/113. cds.) and "if the channel is a persistent channel"	USPAT	OR	ON	2009/09/24 15:04
S174	0	(@rlad<"20020708" or @ad<"20020708") and (370/351/431,389 ods. or 711/113. cds.) and "locally caching data from the packet in a core routing node in the network core"	USPAT	OR	ON	2009/09/24 15:04

 $\hbox{C:} \ Documents \ and \ Settings \ schan1 \ My \ Documents \ EAST \ Workspaces \ 10614053 \ caching \ packets. \ wsp \\$